

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

I & CAD Department - Industrial Water Supply - SLSWCC -
Permission to draw a quantum of water 0.0196 TMC per annum
from Lower Manair Reservoir and to supply to M/s.Haritha Bio
Products India Pvt Ltd .Sy.No.1131, Parlapally (V),
Thimmapur (M) Karimnagar District for a period of 10 years -
Accorded - Orders - Issued.

IRRIGATION & CAD (PW: Reforms) DEPARTMENT

G.O. Ms. No. 58

Dated:30-08-2012
Read the following:-

1. From ENC (Irrigation),Lr.No.ENC (I)/DCE IV/OTM5/S1 /3045
/2009, Dt:13.04.2010 and 23.02.2012.
2. Government memo no.10877/Reforms - A2/2010, I & CAD
(PW:Reforms) Department, dated.21.06.2010.
3. From ENC (Irrigation),Lr.No.ENC (I)/DCE IV/OTM5/S1 /3045/2009,
Dt:08.12.2010, 30.04.2011 and 23.02.2012.

@@@

ORDER:

In the reference 1st read above, the Engineer-in-Chief (Irrigation) while enclosing the letter of Commissioner of Industries, dated.13.07.2009 have requested the Government for permission to draw water 19.66 MCFT/Annum by the firm M/s Haritha Bio Products India Pvt. Ltd., Sy.No.1131, Parlapally (V), Thimmapur (M) Karimnagar District who has filed an application in State Level Single Window Clearance Committee (SLSWCC) from Lower Mannair Reservoir under consumptive use with usual Terms and conditions, subject to the concurrence of District Collector, Karimnagar and the clearance of Pollution Control Board, as cleared by State Level Single Window Clearance Committee (SLSWCC) and recommended for a period of ten years by the Engineer-in-Chief vide reference 1st.

2. The Engineer-in-Chief (Irrigation) in the reference 3rd read above has stated that in view of further augmentations of SRSP/LMD from Bellampally/Pranahita Chevella/FFC, the requirement of water i.e., 0.0196 TMC per annum from Lower Mannair Reservoir can be considered as the quantity required is meager to M/s Haritha Bio Products India Pvt. Ltd., Sy.No.1131, Parlapally (V), Thimmapur (M) Karimnagar District, initially for a 10years period.

3. Government after careful examination of the proposal, hereby accord permission to draw 0.0196 TMC of water per annum from Lower Mannair Reservoir to M/s Haritha Bio Products India Pvt. Ltd., Sy.No.1131, Parlapally (V), Thimmapur (M) Karimnagar District for a period of ten years with usual terms and conditions subject to condition that firm shall obtain the concurrence of District Collector, Karimnagar and the clearance of Pollution Control Board. Structure permissions etc., from the Engineer-in-Chief(Irrigation) and the Chief Engineer, CDO, Hyderabad will be given in this regard as per relevant Government orders. The Royalty payable will be as per Government orders in this regard from time to time and all other conditions applicable to water allocation for industrial purpose vide various Government orders.

4. The Engineer-in-Chief (Irrigation), Hyderabad shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

ADITYA NATH DAS
PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (Irr) Errum Munzil, Hyderabad.

The Administrator-Cum- Chief Engineer, SRSP, LMD Colony
Karimnagar,.

Copy to:-

The Collector & District Magistrate, Karimnagar.

The Managing Director, A.P. Pollution Control Board, Hyderabad.

The Commissioner of Industries, Chirag Ali Lane, Hyderabad

The Director, M/s. Haritha Bio Products India Pvt Ltd .Sy.No.1131,
Parlapally (V), Thimmapur (M) Karimnagar District

//FORWARDED::BY ORDER//

SECTION OFFICER